



# SG 3900

---



## PRODUCT INFORMATION

- **Operation:** cord
- **Range:** M - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016; special colours or anodised aluminum possible
- **Fabrics:** refer to Silent Gliss fabric collection

### **Features:**


- Bendable

# SYSTEM SPECIFICATIONS

## A. SYSTEM DIMENSIONS



12 m



20 kg


## Max. curtain weight

	2 m	4 m	6 m	8 m	10 m	12 m
	8	12	16	15	13	11
	8	14	20	18	15	13
	10	11	11	10	8	7
	10	14	14	13	13	12
	10	11	11	11	10	10
	10	12	12	11	11	10
	8	8	7	6	5	4
	10	10	9	8	7	6

(kg max.)

## B. PROFILE

### Profile and bending information




**SG 3982**

Profile

Radius:  
✓ 15 cm, 20 cm, >30 cm

**C. HOW TO  
MEASURE**



- A: System width
- B: System height
- C: Distance between floor and fabric
- D: Cord height
- E: Safety Retainer SG 10731 min. 150 cm above floor

**D. SPECIFICATION  
TEXT**


**Silent Gliss SG 3900 Cord Operated Curtain Track System.** Comprises aluminium profile SG 3982 supplied made to measure powder coated white with roller gliders SG 3911 at 10/m, cord guide/return set SG 3915, overlap arm SG 3936 and cord SG 3090. Face fixed with nylon bracket SG 3630 / SG 3655 / SG 3660 / SG Smart Fix / top fixed with nylon bracket SG 3603 at 600 mm to 800mm centres. Compliant to Child Safety legislation EN 13120.

**FITTING**

**A. FITTING  
INFORMATION**



For detailed fitting information, visit the Silent Gliss website.

**Fixing points**



**B. CEILING FITTING**


**Bracket SG 3603**




**SG 3603**  
Bracket

## C. WALL FITTING


### Smart Fix



**Smart Fix SG 11200 - SG 11205 and bracket SG 3603:**  
Screw SG 10492 (M4x8) needed.




**Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:**  
Screw SG 10492 (M4x8) needed.



**Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:**  
Screw SG 10277 (M4x12) needed.

Smart Fix	X mm
SG 11200 / SG 11210	86
SG 11201 / SG 11211	106
SG 11202 / SG 11212	126
SG 11203 / SG 11213	146
SG 11204 / 11214	176
SG 11205 / SG 11215	226
SG 11154	136-164
SG 11155	166-194
SG 11156	216-244



**SG 3603**

Bracket




**SG 10277**

Pan head screw M4x12




**SG 10492**

Pan head screw M4x8




**SG 11200**

Smart Fix 60 mm




**SG 11201**

Smart Fix 80 mm




**SG 11202**

Smart Fix 100 mm




**SG 11203**

Smart Fix 120 mm




**SG 11204**

Smart Fix 150 mm




**SG 11205**

Smart Fix 200 mm




**SG 11210**

Square Smart Fix 60 mm




**SG 11211**

Square Smart Fix 80 mm




**SG 11212**


Square Smart Fix 100 mm




**SG 11213**  
Square Smart Fix 120 mm




**SG 11214**  
Square Smart Fix 150 mm




**SG 11215**  
Square Smart Fix 200 mm



**SG 11154**  
Universal Smart Fix 120 mm




**SG 11155**  
Universal Smart Fix 150 mm




**SG 11156**  
Universal Smart Fix 200 mm


**Universal brackets  
SG 3630, SG 3655,  
SG 3660**




<b>Bracket</b>	<b>X mm</b>
SG 3630	49
SG 3655	59
SG 3660	79



**SG 3630**  
Bracket 35 mm



**SG 3655**  
Bracket 50 mm



**SG 3660**  
Bracket 65 mm

# GENERAL NOTES

## **Dimensions**

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.
- Full functionality may be affected if the curtain touches the profile.

## **Fitting**








- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

## **Child Safety**















- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.















# PARTS


## A. STANDARD PARTS

	<b>SG 3090</b> Cord ø 3.5 mm
	<b>SG 3630</b> Bracket 35 mm
	<b>SG 3911</b> Roller
	<b>SG 3915</b> Cord guide set
	<b>SG 3936</b> Overlap arm for draw rod
	<b>SG 3982</b> Profile
	<b>SG 10731</b> Child safety retainer set

## B. OPTIONAL PARTS

	<b>SG 3091</b> Cord ø 3.5 mm
	<b>SG 3151</b> Spacer
	<b>SG 3582</b> Hook
	<b>SG 3599</b> Hook
	<b>SG 3603</b> Bracket
	<b>SG 3620</b> Connection bridge
	<b>SG 3655</b> Bracket 50 mm
	<b>SG 3660</b> Bracket 65 mm
	<b>SG 3914</b> Return bracket
	<b>SG 3922</b> Roller 3911 on strip
	<b>SG 3929</b> Intermediate guide
	<b>SG 3932</b> Spring stop
	<b>SG 3935</b> Overlap arm
	<b>SG 3939</b> Pilot runner

	<b>SG 10277</b> Pan head screw M4x12
	<b>SG 10492</b> Pan head screw M4x8
	<b>SG 11154</b> Universal Smart Fix 120 mm
	<b>SG 11155</b> Universal Smart Fix 150 mm
	<b>SG 11156</b> Universal Smart Fix 200 mm
	<b>SG 11200</b> Smart Fix 60 mm
	<b>SG 11201</b> Smart Fix 80 mm
	<b>SG 11202</b> Smart Fix 100 mm
	<b>SG 11203</b> Smart Fix 120 mm
	<b>SG 11204</b> Smart Fix 150 mm
	<b>SG 11205</b> Smart Fix 200 mm
	<b>SG 11210</b> Square Smart Fix 60 mm
	<b>SG 11211</b> Square Smart Fix 80 mm
	<b>SG 11212</b> Square Smart Fix 100 mm




---

**SG 11213**

---

Square Smart Fix 120 mm

---




---

**SG 11214**

---

Square Smart Fix 150 mm

---



---

**SG 11215**

---

Square Smart Fix 200 mm

---