

# SG 1070





#### PRODUCT INFORMATION

- Operation: hand
- Range: S
- Fitting: ceiling
- Colours: white RAL 9016; special colours or anodised aluminum possible
- Fabrics: refer to Silent Gliss fabric collection


#### Features:

– Bendable


# SYSTEM SPECIFICATIONS

#### A. PROFILE

Profile and bending information



# B. HOW TO MEASURE



- A: System width
- B: System height
- C: Distance between floor and fabric

## C. SPECIFICATION

TEXT

**Silent Gliss SG 1070 Hand Operated Curtain Track System.** Comprises aluminium profile SG 1071 supplied made to measure powder coated white, with gliders SG 3533 at 14/m and 2 end covers SG 1072 and 2 end stops SG 3016 per length. Top fixed with clamps SG 3060 at max. 300 mm centres.

## **FITTING**

A. FITTING INFORMATION


For detailed fitting information, visit the Silent Gliss website.


Fixing points



#### **B. CEILING FITTING**

### Clamp SG 3060





## **GENERAL NOTES**

#### **Dimensions**

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

#### **Fitting**

- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

#### **Child Safety**

- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.

3

## **PARTS**

## A. STANDARD PARTS

## **B. OPTIONAL PARTS**

| r_ |  |
|----|--|
|    |  |

SG 1071
Profile



SG 3062
Connection bridge



SG 1072
End cover



**SG 3511**Glider



SG 3016 End stop



**SG 3534**Glider 3533 on strip



SG 3060 Clamp



**SG 3548** *Glider* 



**SG 3533**Glider



**SG 3570**Glider



**SG 3582**Hook



**SG 3599**Hook



**SG 10430**Draw rod 50 cm



**SG 10431**Draw rod 75 cm



**SG 10432**Draw rod 100 cm



**SG 10433**Draw rod 125 cm



**SG 10434**Draw rod 150 cm



**SG 11335**End stop