SG 6870



PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall, recess*
- ***Colours:*** *white RAL 9016; special colours or anodised aluminum possible (recess profile only in white RAL 9016 or special color)*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*
- *Bendable recess profile*

SilentGliss

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 11190

Profile

Radius: >26 cm



SG 11230

Recess profile

Radius: >50 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION TEXT

Silent Gliss SG 6870 Hand Operated Curtain Track System. *Comprises aluminium profile SG 11190 supplied made to measure, available in silver anodised or powder coated in white / matt white / anodic grey / antique bronze / charcoal. Supplied as standard with 2C gliders SG 11300 at 14/m, 2 end covers SG 11233 and 2 end stops SG 6065. Top fixed with fixing clamp SG 3825 at 500mm centres. Optional top fix bracket SG 3832 / Wall fix with SG Smart Fix brackets SG 11201-11205 and SG 3826 or SG 3832 / Square Smart Fix brackets SG 11210-11215 and SG 3826 or SG 3832 / SG Universal Smart Fix brackets SG 11154-11156.*

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Clamp SG 3825





SG 3825

Clamp

Bracket SG 3826





SG 3826

Bracket

Bracket SG 3832





SG 3832

Bracket

C. WALL FITTING

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3826:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3826:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3826:
Screw SG 10277 (M4x12) needed.



Smart Fix SG 11200 - SG 11205 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm (SG 3826 / SG 3825)*	*X mm (SG 3832)*
SG 11200 / SG 11210	52	70
SG 11201 / SG 11211	72	90
SG 11202 / SG 11212	92	110
SG 11203 / SG 11213	112	130
SG 11204 / SG 11214	142	160
SG 11205 / SG 11215	192	210
SG 11154	102-130	120-148
SG 11155	132-160	150-178
SG 11156	182-210	200-228



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:
Screw SG 10407 (M4x10) needed.



Smart Fix SG 11200 - SG 11205 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3825:
Screw SG 11158 (M4x12) needed.



SG 3825
Clamp



SG 3826
Bracket



SG 3832
Bracket

SG 10074
Countersunk head screw M4x8

SG 10277
Pan head screw M4x12

SG 10407
Pan head screw M4x10

SG 10492
Pan head screw M4x8

SG 11158
Countersunk head screw M4x12



SG 11200

Smart Fix 60 mm



SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Bracket SG 3836





SG 3836

Bracket

D. RECESS FITTING

Recess profile
SG 11230



One wedge SG 10157 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.



SG 11230
Recess profile



SG 11238
Recess Mask



SG 10157
Wedge

SYSTEM OPTIONS

A. WAVE





SG 11295 SG 11302

Standard components:
- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 6099 SG 6364 SG 6365



SG 6366 SG 10430-34 SG 11303

Optional components:
- *SG 2255 Brake*
- *SG 6099 Wave roller cord 80 mm*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

GENERAL NOTES

Dimensions

- *Measurements are in mm except where indicated.*
- *Max. kg relates to fabric incl. accessories.*
- *Stack size depends on curtain make-up and fabric thickness.*
- *Distance between gliders max. 80 mm / distance between rollers max. 100 mm.*
- *Recommended distance floor / fabric: 20 mm.*
- *In order to determine system height (B), the smallest room height must be taken into account.*

Fitting

- *Installation by qualified fitter only.*
- *Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.*
- *Qualified fitter must use appropriate screws / fixings for each situation.*
- *Profile lip if applicable to be installed to room side.*

Child Safety

- *All relevant Silent Gliss systems correspond to child safety EN 13120.*
- *All parties involved must comply with EN 13120.*

PARTS

A. STANDARD PARTS

SG 3825
Clamp

SG 6065
End stop



SG 11190
Profile

SG 11233
End cover

SG 11300
2C glider

B. OPTIONAL PARTS



SG 2255
Brake

SG 3582
Hook

SG 3599
Hook



SG 3802
Connection bridge



SG 3826
Bracket



SG 3832
Bracket



SG 3836
Bracket

SG 6053
Spring stop

SG 6064
End stop



SG 6086
Spring stop

SG 6094
Roller

SG 6098
Roller



SG 6099
Wave roller cord 80 mm

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 10074
Countersunk head screw M4x8

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10157
Wedge



SG 10277
Pan head screw M4x12



SG 10407
Pan head screw M4x10



SG 10430
Draw rod 50 cm

SG 10431
Draw rod 75 cm

SG 10432
Draw rod 100 cm



SG 10433

Draw rod 125 cm



SG 10434

Draw rod 150 cm



SG 10492

Pan head screw M4x8



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm



SG 11158

Countersunk head screw M4x12



SG 11200

Smart Fix 60 mm



SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11230

Recess profile



SG 11238

Recess Mask



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm