


Cord Operated Curtain Track Systems





Cord Operated Curtain Track System

Silent Gliss® 3870



Product Information


- Operation: cord drawn
- Range: M
- Fitting: ceiling, wall, recess
- Colours: white, matt white, silver anodised, anodic grey, charcoal and antique bronze
- Shape: square shaped
- 2C glider technology
- Wave compatible
- Bendable (including recess profile)
- Complies with safety norms EN 13120, EN 16433 and EN 16434



3870

Profile and Bending Information

Profile




11190



Radius: >26 cm

Recess profile




11230



Radius: >50 cm

How To Measure




- A: System width
- B: System height
- C: Distance between floor and fabric
- D: cord height
- E: Safety retainer SG 10400 min. 150 cm above floor

System Dimensions



3870








6 m








14 kg

Max. Curtain Weight Chart - 2C Glider

	2 m	4 m	6 m
	12	11	10
	14	13	12
	9	8	7
	10	9	6
	6	5	4
	7	6	5
	5	4	3
	6	5	4

(kg max.)

Max. Curtain Weight Chart Wave and Roller Glider


	2 m	4 m	6 m
	5	8	7
	5	8	8
	5	6	5
	5	6	6
	4	3	2
	4	4	3
	3	2	1
	3	3	2

(kg max.)

Straight tracks can be extended beyond 6m by using a connecting bridge.


System Options

Wave Curtain Heading System



Wave is a contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6099 (refer to System Dimensions).



The Wave standard components are:

11303 Glider Cord 60mm
11302 Glider Cord 80mm
6007 End stop
6315 Pilot runner

The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

2255 Adjustable brake
6364 Extension (used with 6365)
6365 Hanger (used with 6364)
6366 Carrier for draw rod


Roller Gliders must be ordered separately
6099 Wave roller glider 80mm

Optional components to improve the presentation of the curtain:

3582 Hook
6349 Curtain tape
6363 Iron-on top hemming tape
10075 Lead weight for hem of curtain 50gr/m
10076 Fabric weight for side edge of curtain

Fitting Information



Fixing Points





3870

Fitting Options



Ceiling fitting with clamp SG 3825






Ceiling fitting with bracket SG 3826



Ceiling fitting with bracket SG 3832






Wall fitting with Smart Fix SG 11200-11205 and bracket SG 3826






Brackets threaded for screw M4 x 8

Wall fitting with Square Smart Fix SG 11210-11215 and bracket SG 3826



Brackets threaded for screw M4 x 8

Wall fitting with Universal Smart Fix SG 11154-11156 and bracket SG 3826






Brackets threaded for screw M4 x 8






3870

Wall fitting with Smart Fix SG 11200-11205 and bracket SG 3832






Brackets threaded for screw M4 x 8

Wall fitting with Square Smart Fix SG 11210-11215 and bracket SG 3832





Brackets threaded for screw M4 x 8

Wall fitting with Universal Smart Fix SG 11154-11156 and bracket SG 3832





Brackets threaded for screw M4 x 8


Wall fitting with bracket SG 3836



Recess fitting with recess profile SG 11230



11238
Recess Mask











Standard Accessories



3090	Cord (ø 3.5mm)		3825	Clamp (35mm)	
6086	Spring stop		6288	Overlap arm	
10400	Safety Cord Retainer		11190	Profile	
11285	Guide set		11301	2C glider 11300 on strip (x20)	


Optional Accessories

3582	Hook		3599	Hook	
3802	Connecting bridge		3825	Clamp (35mm)	
3826	Top fix bracket		3832	Twist clamp	
3836	Bracket (62mm)		6053	Spring stop	
6063	Metal overlap arm		6064	Screw twist endstop	
6065	Twist eye endstop		6082	Glider	
6098	Roller glider with eye		6283	Roller glider	
10157	Clamp		10407	Pan head screw M4x10	
11154	Universal Smart Fix, 120 mm set		11155	Universal Smart Fix, 150 mm set	

11156	Universal Smart Fix, 200 mm set		11200	Smart Fix, 60 mm set	
11201	Smart Fix, 80 mm set		11202	Smart Fix, 100 mm set	
11203	Smart Fix, 120 mm set		11204	Smart Fix, 150 mm set	
11205	Smart Fix, 200 mm set		11210	Square Smart Fix, 60 mm set	
11211	Square Smart Fix, 80 mm set		11212	Square Smart Fix, 100 mm set	
11213	Square Smart Fix, 120 mm set		11214	Square Smart Fix, 150 mm set	
11215	Square Smart Fix, 200 mm set		11230	Recess profile	
11238	Recess Mask				

Wave Accessories

6007	Endstop		6099	Wave roller glider cord (80mm)	
6349	Curtain tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	
10075	Lead weight 50 gr/m		10076	Fabric weight	
11302	Wave 2C glider cord 80 mm		11303	Wave 2C glider cord 60 mm	



3870

www.silentgliss.co.uk

www.silentglissglobal.com

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 863571
Fax: +44 (0) 1843 864503
info@silentgliss.co.uk

Silent Gliss Global Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 874250
Fax: +44 (0) 1843 874457
info@silentglissglobal.com