

Roman Blind Headrail





Roman Blind Headrail



Made to Measure Headrail:

- Strong 1.2-gauge profile.
- Cords adjustable in 1 click with no screws.
- Transit locking pin.
- Child safety components included.
- 5 Year warranty.
- Breakaway gear drives at no extra cost.

Choice of 3 different gear drives

NEW 1:1 with Integrated Breakaway

For lighter blinds up to 4KG, Offers fast operation of the blind. After release the chain cog can be placed back into the gear housing very easily.

NEW IMPROVED 1:4 with Integrated Breakaway

For heavier blinds up to 8KG, Offers smooth geared operation of the blind. After release the chain cog can be placed back into the gear housing very easily.

1:4 NON-Breakaway

For heavier blinds up to 7.5KG, Non-Breakaway chain cog, Provided with chain retainer.

Choice of chain colours at no extra cost: *Chrome (non-rust) as standard.*



Antique Brass

Chrome (chrome plated brass that will not rust)

Copper

Brass

Grey Nickel



Roman Blind Headrail

Made to Measure Prices:

Size Up to:

- 60cm
- 80cm
- 100cm
- 120cm
- 150cm
- 175cm
- 200cm
- 225cm
- 250cm
- 275cm
- 300cm
- 325cm
- 350cm

Minimum blind size is 37cm



*Headrail comes complete with shaped plastic bottom bar and universal brackets.
Extra cord spools available at no extra cost, if requested at time of ordering*

To Order- We need to know:

Width of headrail required, Which Gearing, Chain operation side, Colour of chain,
Either chain length or blind drop, Installation height.

Order form available on request or to download from our website: www.curtainrailsupplies.com



Curtain Rail Supplies
Trade Supplier

1-3 Tinkwood Buildings
Pennybrook Road
Cotswold
OX2 8DF

T: 01292 276202
F: 01292 402964
info@curtainrailsupplies.com
www.curtainrailsupplies.co.uk

CRS Easylock Roman Blind Order Form

Date	
Account Name	
Order Reference	
Delivery Address <i>(if different to account address)</i>	

Track Reference	Track Size	Installation Height	Chain or Blind Drop (Please Specify which)	Gearing (1:1 Breakaway) (1:4 Breakaway) or (1:4 NON Breakaway)	RH or LH Operation	Colour of Chain



Roman Blind Child Safety

Our Roman Blind Systems are tested to British Standards BS EN 13120:2009 +A1:2014.

Operating Chains & Cords with NO Breakaway

The important point of calculation is the installation height of the blind or track, this determines how long the chain or cord can be. The bottom loop of the chain or cord must be at least 150cms from the floor and secured with a safety device, without the safety device the product is not compliant and should not be fitted. Example – Headrail installation height 200cm, chain/cord length will be 50cms maximum.

OR

Operating Chains with Breakaway

If the operating chain/cord has a breakaway device then the bottom loop of the cord/chain can be 60cms from the floor and a chain retainer is not required.

This applies to our 1:1 and 1:4 Integrated Breakaway Roman Blinds.



Note – there are no allowances in BS EN 13120 for items such as kitchen units or other obstructions preventing easy access to the chain/cord, the advice from the BBSA is to fit an alternative compliant product, i.e. curtains.



Roman Blind Child Safety

Accessible Inner Cords (Roman Blind Pull Cords at the rear)

The maximum distance between two consecutive attachment/retention points (normally rods, pockets or blind rings) shall be less than or equal to 20cms. Any of the traditional methods of fixing the cord to the bottom rod pocket can be used if the rods are no more than 20cms apart in all areas of the Roman blind.

For Roman Blinds with rod pockets greater than 20cms at any point a Curtain Rail Supplies Ltd breakaway device must be used on each cord. The device that we supply with our Roman Blinds is the Safety Cord Toggle. The cord should be left unknotted to ensure that the cord can pass through. This must be secured to the blind to ensure that this doesn't fall to the floor and become a choking hazard in the event of a breakaway happening (stitched or using cable tie). **These toggles are supplied with every Curtain Rail Supplies Ltd Roman Blind at no extra cost.**



Safety Cord Toggle (including cable tie)
Additional packs of 100

Using Additional Cord Breakaway Devices

To prevent cords being pulled up into the headrail, additional devices are available. On a minimum of the bottom two rod pockets, Cord Breakaway Devices can be used. This enables you to tie a knot to the cord underneath the Safety Cord Toggle, the knot also ensures the Toggle cannot fall to the floor.



**Cord Breakaway Device
For Pockets or Eyelets**

A two-part Safety device for use and tested with Curtain Rail Supplies Roman Blinds. Releases under 6KG.
Packet of 100



**Cord Breakaway Device
For Roman Blind Tape**

A two-part Safety device for use and tested with Curtain Rail Supplies Roman Blinds. Releases under 6KG.
Packet of 100



Roman Accessories

Fibreglass Rods

4mm Diameter

(Pack of 25 Price)

(Pack of 100 Price)

75cm Length

100cm Length

150cm Length

200cm Length

(Pack of 10 Price)

(Pack of 100 Price)

400cm Length

Fibreglass Rods

8mm Diameter

(Pack of 5 Price)

(Pack of 100 Price)

500cm Length

Fibreglass Rod Endcap

(Pack of 250)

Wood Rod 240cm

6mm Diameter

Pack of 10

Pack of 100

9mm Diameter

Pack of 10

Pack of 100

Bottom Bar

Hardened PVC Oval bottom bar

400cm length, 25mm width, 9mm depth

Pack of 5

Pack of 50

(Included in our made to measure Roman Blinds)



Roman Accessories



Clear Clip on ring for 4mm Fibreglass Rod

(Pack of 100)



Clear Blind Ring mm diameter

(Pack of 1000)



Brass Ring

9mm Inside / 13mm Outside Diameter


(Pack of 200)



Blind Cord

Heavy Duty 1.4mm thickness

(500m Roll)



Chain Stop

(Pack of 100)



Prym 5mm Eyelet Pliers

Including Piercing Tool



5mm Eyelet closing Tool



5mm Nickel Eyelets

(Pack of 1000)



5mm Ivory Eyelets

(Pack of 1000)



CRS Battery Operated Roman

MOTORISATION MADE AFFORDABLE

- Fully Tested 6KG Load Weight
- Battery Life tested on 500 lift / lower operations
- Supplied with a Lithium Battery
- Easy step by step pairing and limit setting
- Minimum blind size is 47cm
- Sleek modern handset with magnetic wall bracket
- 5 Year Warranty



Made to Measure Prices:

Size Up to:

60cm
80cm
100cm
120cm
150cm
175cm
200cm

Prices includes Lithium battery:
Battery must have an initial
16 hours charge.

Accessories:

Single Channel Remote
15 Channel Remote
Charger for Battery

